

SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT

Title V Permit Summary

AQMD Facility ID: 022364		Company Name: ITT Corporation																	
Equipment Location: 666 East Dyer Road, Santa Ana, CA 92705			SIC Code: 3643																
Permit Revision #:	Revision Date:	Facility Permit Section(s) Affected:																	
Application #(s): 473361		Application Submittal Date(s): 9/5/07																	
AQMD Contact Person: Hamed Mandilawi		Phone #: (909) 396-3275	E-Mail Address: hmandilawi@aqmd.gov																
Project Description: This is an existing facility applying for a Title V permit renewal that is engaged in the manufacturing of telecommunication equipment. The facility operates surface preparation lines, metal plating lines, spray booths, a storage tank, a wave solder machine, a waste water treatment system, scrubbers, a carbon adsorption system, and other supporting equipment.																			
Permit Type: <input type="checkbox"/> Initial Title V Permit <input type="checkbox"/> Significant Revision <input checked="" type="checkbox"/> Permit Renewal																			
Permit Features: <input type="checkbox"/> Federally Enforceable Emission Cap For Exemption From Certain NESHAP Requirements <input type="checkbox"/> Permit Shield Applies <input checked="" type="checkbox"/> Permit Contains Conditions Allowing Emission Trading <input type="checkbox"/> Alternative Operating Scenario <input type="checkbox"/> Permit Streamlines Overlapping or Outdated Requirements <input type="checkbox"/> Other: _____ <input type="checkbox"/> Source Out of Compliance With Applicable Requirements and/or Operating Under a Variance																			
Toxic Air Contaminant Emissions (TAC) - Annual Reported Emissions for Reporting Year: 2009		<input type="checkbox"/> No TACs Reported <input checked="" type="checkbox"/> The Following TACs Were Reported: <table style="margin-left: 20px; width: 100%;"> <thead> <tr> <th></th> <th style="text-align: right;">Emissions (lbs/yr):</th> </tr> </thead> <tbody> <tr><td>Ammonia</td><td style="text-align: right;">3247</td></tr> <tr><td>Benzene</td><td style="text-align: right;">0.041</td></tr> <tr><td>Cadmium</td><td style="text-align: right;">0.003</td></tr> <tr><td>Formaldehyde</td><td style="text-align: right;">0.087</td></tr> <tr><td>Naphthalene</td><td style="text-align: right;">0.001</td></tr> <tr><td>Nickel</td><td style="text-align: right;">0.031</td></tr> <tr><td>PAHs</td><td style="text-align: right;">0.001</td></tr> </tbody> </table>			Emissions (lbs/yr):	Ammonia	3247	Benzene	0.041	Cadmium	0.003	Formaldehyde	0.087	Naphthalene	0.001	Nickel	0.031	PAHs	0.001
	Emissions (lbs/yr):																		
Ammonia	3247																		
Benzene	0.041																		
Cadmium	0.003																		
Formaldehyde	0.087																		
Naphthalene	0.001																		
Nickel	0.031																		
PAHs	0.001																		
Health Risk From Toxic Air Contaminants:		<input type="checkbox"/> Health Risk Reduction Plan in Force (AQMD Rule 1402) (date): _____ <input type="checkbox"/> Health Risk Assessment Required for this Permit Action (AQMD Rule 1401) <input checked="" type="checkbox"/> Facility is Subject to Review by the Air Toxics Information and Assessment Act (AB2588) <input type="checkbox"/> Facility Determined to be Exempt from AB2588 Requirements <input checked="" type="checkbox"/> AQMD is Tracking Status of Facility under AB2588 <input type="checkbox"/> Health Risk Assessment Submitted to AQMD and Is Being Reviewed <input type="checkbox"/> Final Facility Health Risk Approved (date) _____ Cancer Risk = <u>in one million</u> Acute Hazard Index = _____ Chronic Hazard Index = _____																	
Criteria Pollutant Emissions Annual Reported Emissions (tons/year) for Reporting Year: 2009		<table style="width: 100%;"> <tbody> <tr> <td><input checked="" type="checkbox"/> NOx</td> <td>5.167</td> <td><input checked="" type="checkbox"/> PM</td> <td>0.085</td> </tr> <tr> <td><input checked="" type="checkbox"/> CO</td> <td>0.216</td> <td><input checked="" type="checkbox"/> SOx</td> <td>0.001</td> </tr> <tr> <td><input checked="" type="checkbox"/> VOC</td> <td>2.444</td> <td><input type="checkbox"/> Other:</td> <td>_____</td> </tr> </tbody> </table>		<input checked="" type="checkbox"/> NOx	5.167	<input checked="" type="checkbox"/> PM	0.085	<input checked="" type="checkbox"/> CO	0.216	<input checked="" type="checkbox"/> SOx	0.001	<input checked="" type="checkbox"/> VOC	2.444	<input type="checkbox"/> Other:	_____				
<input checked="" type="checkbox"/> NOx	5.167	<input checked="" type="checkbox"/> PM	0.085																
<input checked="" type="checkbox"/> CO	0.216	<input checked="" type="checkbox"/> SOx	0.001																
<input checked="" type="checkbox"/> VOC	2.444	<input type="checkbox"/> Other:	_____																
Compliance History: <input checked="" type="checkbox"/> Citizen Complaints Filed in Last Two Calendar Years (# 0) <input checked="" type="checkbox"/> Notices to Comply Issued in Last Two Calendar Years (# 0) <input checked="" type="checkbox"/> Notices of Violation Issued in Last Two Calendar Years (# 1)																			
Comments:																			